

C-5. Previous Trials for No Parking:

- a. Change 2 Hour Parking to No Parking Police Vehicles Only on the north side of 55th Street from 11th Avenue - 13th Avenue (*District 7*)
- b. Remove No Parking On School Days / 1:30pm – 3:30pm, north side of 73rd Street from 39th Avenue - 40th Avenue (*District 14*)
(*Staff recommends approval*)

**CITIZENS COMMENTS/ALDERMEN COMMENTS
OTHER BUSINESS AS AUTHORIZED BY LAW**

IF YOU ARE DISABLED AND IN NEED OF ASSISTANCE, PLEASE CALL 653-4050 BEFORE THIS MEETING

NOTICE IS HEREBY GIVEN THAT A MAJORITY OF THE MEMBERS OF THE COMMON COUNCIL MAY BE PRESENT AT THE MEETING, AND ALTHOUGH THIS MAY CONSTITUTE A QUORUM OF THE COMMON COUNCIL, THE COUNCIL WILL NOT TAKE ANY ACTION AT THIS MEETING.

PUBLIC SAFETY & WELFARE COMMITTEE
- MINUTES -
Monday, March 8, 2010

The regular meeting of the Public Safety & Welfare Committee was held on Monday, March 8, 2010 in Room 202 of the Kenosha Municipal Building. The meeting was called to order at 5:44 pm. The following members were present: Chairman Downing, Alderman Ruef, Carpenter, and Orth. Alderman Casey was excused. Staff members in attendance were Kevin Risch, Fire Chief Thomsen, and Guy Santelli.

It was moved by Alderman Ruef, seconded by Alderman Orth, to approve the minutes of the meeting held on Monday, March 1, 2010. Motion passed 4-0.

- B-1. Aldermanic request for Trial for Yield Control for 18th Place and 16th Avenue.
(Deferred from the meeting held February 8, 2010)
It was moved by Alderman Orth, seconded by Alderman Carpenter, to approve. Motion passed 4-0.
- B-2. Proposed Ordinance to Repeal and Recreate Section 4.07, Entitled "Penalties" as Section 4.08; and to Create Section 4.07, Entitled "Outdoor Lighting".
(Deferred from the meeting held March 1, 2010)
Public Hearing; Alderman Holland, 3rd District, asked to have this deferred to the next meeting so changes can be made.
It was moved by Alderman Carpenter, seconded by Alderman Orth, to defer to the next meeting. Motion passed 4-0.
- C-1. Proposed Ordinance To Repeal, Recreate, and Renumber Various Subsections of 3.23 "Automatic Fire Sprinkler Systems".
Public Hearing: Chief Thomsen and Guy Santelli were present to answer any questions.
It was moved by Alderman Orth, seconded by Alderman Carpenter, to approve. Motion passed 4-0.
- C-2. Proposed Ordinance to Repeal and Recreate Section 15.11 to Allow Placement of Parks-Commission-Approved Signs Without Permit, to Create Subsection 15.15H to Allow for Placement of Off-Premises signs in Parks and Recreational Areas; and to Repeal and Recreate Section 15.17 to Allow for Appeals and Special Exceptions to be made to the Common Council."
Staff/Alderman: Alderman Orth explained that this would allow the park commission to approve signs in the parks.
It was moved by Alderman Orth, seconded by Alderman Carpenter, to approve. Motion passed 4-0.

CITIZENS COMMENTS: Guy Santelli handed out an invitation to a presentation and system viewing for home fire sprinkler systems.

ADJOURNMENT - *There being no further business to come before the Public Safety & Welfare Committee, it was moved, seconded and unanimously carried to adjourn at 6:09 pm.*

ORDINANCE NO. _____

BY: ALDERPERSON DONALD K. HOLLAND

TO REPEAL AND RECREATE SECTION 4.07 OF THE CODE OF GENERAL ORDINANCES, ENTITLED "PENALTIES" AS SECTION 4.08; AND, TO CREATE SECTION 4.07 OF THE CODE OF GENERAL ORDINANCES, ENTITLED: "ARTIFICIAL LIGHT AND GLARE"

The Common Council of the City of Kenosha, Wisconsin, do ordain as follows:

Section One: Section 4.07 of the Code of General Ordinances for the City of Kenosha, Wisconsin, is hereby renumbered as Section 4.08.

Section Two: Section 4.07 of the Code of General Ordinances for the City of Kenosha, Wisconsin, is hereby created as follows:

4.07 ARTIFICIAL LIGHT AND GLARE

A. Regulation. Outdoor lighting on residential property producing artificial light during periods of darkness shall be directed or shielded appropriately to minimize potential glare and to avoid creating a nuisance to neighboring properties.

B. Exemption. Low output lighting of the type having no individual bulb that has a rating of greater than five watts, which lighting is placed temporarily in celebration of a legal holiday as listed in §995.20 of the Wisconsin Statutes.

Section Three: This Ordinance shall become effective upon passage and publication.

ATTEST: _____ City Clerk

APPROVED: _____ Mayor

Date: _____

Passed:

Published:

Drafted By:
EDWARD R. ANTARAMIAN,
City Attorney



ENGINEERING DIVISION
MICHAEL M. LEMENS, P.E.
DIRECTOR OF ENGINEERING

FLEET MAINTENANCE
MAURO LENCI
SUPERINTENDENT

PARK DIVISION
JEFF WARNOCK
SUPERINTENDENT

STREET DIVISION
JOHN H. PRIJIC
SUPERINTENDENT

WASTE DIVISION
ROCKY BEDNAR
SUPERINTENDENT

ADMINISTRATION SUPERVISOR
JANICE D. SCHROEDER

c-1

DEPARTMENT OF PUBLIC WORKS

Ronald L. Bursek, P.E., Director

Municipal Building · 625 52nd ST · RM 305 · Kenosha, WI 53140
Telephone (262) 653-4050 · Fax (262) 653-4056

DATE: March 23, 2010

TO: Public Safety and Welfare Committee

FROM: Kevin Risch, P.E., Civil Engineer KKR 3-26-10

SUBJECT: Aldermanic Request for Trial for Intersection Yield Control on 55th Avenue in the Northbound and Southbound Direction at 28th Street (District 5)


Alderman Kathy Carpenter has indicated that many complaints have been received regarding speeding vehicles and the lack of intersection control for the referenced location and has asked Public Works to determine if a Yield sign can be placed in the NB/SB direction at 28th Street.

Staff has looked at the above location and has determined that this intersection has 2 legs that are not through streets (west leg and south leg). The request is to place Yield signs on 55th Avenue for the NB/SB movements and currently the south leg is only 2 blocks long and by placing the Yield sign for this direction the unrestricted movement would be to a cul-du-sac (west leg). The NB/SB movements have good sight distances approaching 28th Street and currently there is no accident history at this location.

Although staff recognizes the concerns raised by Alderman Carpenter, we do not recommend approval of this request for reasons stated above.

KKR:kk

cc: Alderman Kathy Carpenter – w/a
Ronald L. Bursek, Director of Public Works– w/a
Michael M. Lemens, Director of Engineering/City Engineer – w/a
Randy LaClaire – w/a
File – w/a





Engineering Division
Michael M. Lemens, P.E.
Director/City Engineer
Fleet Maintenance
Mauro Lenci
Superintendent
Administrative Supervisor
Janice D. Schroeder

Street Division
John H. Prijic
Superintendent
Waste Division
Rocky Bednar
Superintendent
Park Division
Jeff Warnock
Superintendent

C-2

DEPARTMENT OF PUBLIC WORKS

Ronald L. Bursek, P.E., Director

Municipal Building - 625 - 52nd Street - RM 305 - Kenosha, WI 53140
Telephone (262) 653-4050 - Fax (262) 653-4056

DATE: March 29, 2010

TO: Public Safety and Welfare Committee

FROM: Kevin Risch, P.E., Assistant City Engineer KKR 3-15-10


SUBJECT: Aldermanic Request to Designate North side 77th Street along 5710 and 5700 as No Parking Standing Stopping Any Time. (District 15)

Alderman Orth is requesting on behalf of the business at 5710 77th Street (Happy Turf) that the area as noted be designated as No Parking Standing Stopping. This request is to diminish the drop off/pick up area caused by the Scamps Facility on the south side of 77th Street. Pedestrians crossing the street and truck vehicles of the business are a safety concern. The street is 36 feet wide with parking on both sides of the street.

Staff suggests a trial along with some enforcement effort to discourage this safety concern; North side 77th Street starting from approximately 721 feet east of 60th Avenue and ending approximately 373 feet further east ending at 57th Avenue.

KKR:dt

cc: Alderman Michael Orth - w/a
Ronald L. Bursek, Director of Public Works- w/a
Michael M. Lemens, Director of Engineering/City Engineer - w/a
Randy LaClaire-w/a
File - w/a



Vacant Bldg

Happy Turf

No Parking, Standing, or Stopping North Side Only

Skamps

Scamp's
Gymnastics

7th St

7th St

7th St

7th St

5700

Airgas



ENGINEERING DIVISION
MICHAEL M. LEMENS, P.E.
DIRECTOR OF ENGINEERING

FLEET MAINTENANCE
MAURO LENCI
SUPERINTENDENT

PARK DIVISION
JEFF WARNOCK
SUPERINTENDENT

STREET DIVISION
JOHN H. PRIJIC
SUPERINTENDENT

WASTE DIVISION
ROCKY BEDNAR
SUPERINTENDENT

ADMINISTRATION SUPERVISOR
JANICE D. SCHROEDER

C-3

DEPARTMENT OF PUBLIC WORKS

Ronald L. Bursek, P.E., Director

Municipal Building · 625 52nd ST · RM 305 · Kenosha, WI 53140
Telephone (262) 653-4050 · Fax (262) 653-4056

DATE: March 23, 2010

TO: Public Safety and Welfare Committee

FROM: Kevin Risch, P.E., Civil Engineer KKR 3-26-10

SUBJECT: Aldermanic Request for Trial for 1Hr Parking on 56th Street from Sheridan Rd. to 11th Ave. and on 10th Ave from 55th Street to 57th Street (see attached map)
(District 2)


Alderman Don Moldenhauer is requesting to have the existing 2 Hour Parking Restriction be changed to 1 Hour Parking in the area surrounding the County Court House and the Joint Services Building due to the limited parking that is available for the general public.

This request is being made to help make parking spaces available for the general public and to minimize the use by long term employee parking. The limited parking has been compounded by the recent construction improvements being made to the safety building. Initially, this request was being made for short duration until the construction is complete. However, after further discussion with Alderman Moldenhauer this appears to be a permanent request.

Staff has reviewed this request and recommends approval of a trial to change the existing 2 Hour Parking to 1 Hour Parking for the areas shown on the attached Map.

KKR:kk

cc: Alderman Don Modenhauer – w/a
Ronald L. Bursek, Director of Public Works– w/a
Michael M. Lemens, Director of Engineering/City Engineer – w/a
Randy LaClaire – w/a
File – w/a



Courthouse

**County
Office
Bldg.**

Image © 2010 TerraMetrics

GO

87°40'20.44"W
©2010 2007
Evolu5h



Engineering Division
Michael M. Lemens, P.E.
Director/City Engineer
Fleet Maintenance
Mauro Lenci
Superintendent
Administrative Supervisor
Janice D. Schroeder

Street Division
John H. Prijic
Superintendent
Waste Division
Rocky Bednar
Superintendent
Park Division
Jeff Warnock
Superintendent

C-4a

DEPARTMENT OF PUBLIC WORKS

Ronald L. Bursek, P.E., Director

Municipal Building • 625 - 52nd Street • RM 305 • Kenosha, WI 53140
Telephone (262) 653-4050 • Fax (262) 653-4056

DATE: March 29, 2010

TO: Public Safety and Welfare Committee

FROM: Kevin Risch, P.E., Assistant City Engineer KKR 3-15-10

SUBJECT: Previous Trial for EB Yield Control for 17th Avenue and 16th Avenue. (District 1)

This request has been on a trial as indicated with no complaints or problems reported.


Staff recommends approval for yield control on the above intersections.

The following ordinance change is required:

Amend Section 7.125 Streets Controlled by Yield Signs by adding:
Insert 17th Avenue under Column "A" and Insert 16th Avenue under Column "B".

KKR:dt

cc: Alderman Eric Haugaard - w/a
Ronald L. Bursek, Director of Public Works - w/a
Michael M. Lemens, Director of Engineering/City Engineer - w/a
Randy LeClaire - w/a
File - w/a





Engineering Division
Michael M. Lemens, P.E.
Director/City Engineer

Fleet Maintenance

Mauro Lenci
Superintendent

Administrative Supervisor

Janice D. Schroeder

Street Division

John H. Prijic
Superintendent

Waste Division

Rocky Bednar
Superintendent

Park Division

Jeff Warnock
Superintendent

DEPARTMENT OF PUBLIC WORKS

Ronald L. Bursek, P.E., Director

Municipal Building • 625 - 52nd Street • RM 305 • Kenosha, WI 53140
Telephone (262) 653-4050 • Fax (262) 653-4056

DATE: October 12, 2009

TO: Public Safety and Welfare Committee

FROM: Kevin Risch, P.E., Deputy Director of Engineering KKR 10-7-09

SUBJECT: Request for Trial for Yield Control for 17th Avenue and 16th Avenue. (District 1)

Alderman Eric Haugaard is requesting an eastbound Yield control at the above intersection.

This intersection is a 'T' intersection in a residential area with low traffic volume and 60 feet right-of-way. Normal rules of the road would govern the right-of-way. This sign would reinforce the normal right-of-way.

Staff recommends approval of a trial eastbound Yield Control for 17th Avenue and 16th Avenue.

KKR:dt

cc: Alderman Eric Haugaard-w/a
Ronald L. Bursek, Director of Public Works- w/a
Michael M. Lemens, Director of Engineering/City Engineer - w/a
File - w/a



Engineering Division
Michael M. Lemens, P.E.
Director/City Engineer
Fleet Maintenance
Mauro Lenci
Superintendent
Administrative Supervisor
Janice D. Schroeder

Street Division
John H. Prijic
Superintendent
Waste Division
Rocky Bednar
Superintendent
Park Division
Jeff Warnock
Superintendent

C-4 b

DEPARTMENT OF PUBLIC WORKS

Ronald L. Bursek, P.E., Director

Municipal Building • 625 - 52nd Street • RM 305 • Kenosha, WI 53140
Telephone (262) 653-4050 • Fax (262) 653-4056

DATE: March 29, 2010

TO: Public Safety and Welfare Committee

FROM: Kevin Risch, P.E., Assistant City Engineer KKR 3-15-10

SUBJECT: Previous Trial for Yield Control for 38th Avenue and 60th Place. (District 11)

This request has been on a trial as indicated with no complaints or problems reported.

Staff recommends approval for yield control on the above intersections.

The following ordinance change is required:

Amend Section 7.125 Streets Controlled by Yield Signs by adding:
Insert 60th Place under Column "A" and Insert 38th Avenue under Column "B".

KKR:dt

cc: Alderman Anthony Nudo - w/a
Ronald L. Bursek, Director of Public Works - w/a
Michael M. Lemens, Director of Engineering/City Engineer - w/a
Randy LeClaire - w/a
File - w/a



Engineering Division
Michael M. Lemens, P.E.
Director/City Engineer

Fleet Maintenance
Mauro Lenci
Superintendent
Administrative Supervisor
Janice D. Schroeder

Street Division
John H. Prijic
Superintendent
Waste Division
Rocky Bednar
Superintendent
Park Division
Jeff Warnock
Superintendent

DEPARTMENT OF PUBLIC WORKS

Ronald L. Bursek, P.E., Director

Municipal Building • 625 - 52nd Street • RM 305 • Kenosha, WI 53140
Telephone (262) 653-4050 • Fax (262) 653-4056

DATE: October 12, 2009

TO: Public Safety and Welfare Committee

FROM: Kevin Risch, P.E., Deputy Director of Engineering KKR 10-7-09

SUBJECT: Request for Trial for Yield Control for 38th Avenue and 60th Place. (District 11)

Alderman Anthony Nudo is requesting intersection control at the above intersection.

Staff has reviewed this 4 – leg intersection. Pavement width are generally narrow and right-of-way is 50 feet.

Staff recommends approval of a trial Yield Control for 60th Place and 38th Avenue.

KKR:dt

cc: Alderman Anthony Nudo-w/a
Ronald L. Bursek, Director of Public Works– w/a
Michael M. Lemens, Director of Engineering/City Engineer – w/a
File – w/a



Engineering Division
Michael M. Lemens, P.E.
Director/City Engineer
Fleet Maintenance
Mauro Lenci
Superintendent
Administrative Supervisor
Janice D. Schroeder

Street Division
John H. Prijic
Superintendent
Waste Division
Rocky Bednar
Superintendent
Park Division
Jeff Warnock
Superintendent

C-4c

DEPARTMENT OF PUBLIC WORKS

Ronald L. Bursek, P.E., Director

Municipal Building • 625 - 52nd Street • RM 305 • Kenosha, WI 53140
Telephone (262) 653-4050 • Fax (262) 653-4056

DATE: March 29, 2010

TO: Public Safety and Welfare Committee

FROM: Kevin Risch, P.E., Assistant City Engineer KKR 3-15-10

SUBJECT: Previous Trial for SB Yield Control for 35th Court and 85th Place. (District 14)

This request has been on a trial as indicated with no complaints or problems reported.

Staff recommends approval for yield control on the above intersections.

The following ordinance change is required:

Amend Section 7.125 Streets Controlled by Yield Signs by adding:
Insert 35th Court under Column "A" and Insert 85th Place under Column "B".

KKR:dt

cc: Alderman Daniel Prozanski, Jr - w/a
Ronald L. Bursek, Director of Public Works - w/a
Michael M. Lemens, Director of Engineering/City Engineer - w/a
Randy LeClaire - w/a
File - w/a

Traffic More... Map Satellit





Engineering Division
Michael M. Lemens, P.E.
Director/City Engineer
Fleet Maintenance
Mauro Lenci
Superintendent
Administrative Supervisor
Janice D. Schroeder

Street Division
John H. Prijic
Superintendent
Waste Division
Rocky Bednar
Superintendent
Park Division
Jeff Warnock
Superintendent

DEPARTMENT OF PUBLIC WORKS

Ronald L. Bursek, P.E., Director

Municipal Building • 625 - 52nd Street • RM 305 • Kenosha, WI 53140
Telephone (262) 653-4050 • Fax (262) 653-4056

DATE: October 12, 2009
TO: Public Safety and Welfare Committee
FROM: Kevin Risch, P.E., Deputy Director of Engineering KKR 10-7-09
SUBJECT: Request for Trial for Yield Control for 35th Court and 85th Place. (District 14)

Alderman Daniel Prozanski, Jr. is requesting an southbound Yield control at the above intersection.

This intersection is a 'T' intersection in a residential area with low traffic volume and 60 feet right-of-way. Normal rules of the road would govern the right-of-way. This sign would reinforce the normal right-of-way.

Staff recommends approval of a trial southbound Yield Control for 35th Court and 85th Place.

KKR:dt

cc: Alderman Daniel Prozanski, Jr.-w/a
Ronald L. Bursek, Director of Public Works— w/a
Michael M. Lemens, Director of Engineering/City Engineer – w/a
File – w/a



Engineering Division
Michael M. Lemens, P.E.
Director/City Engineer
Fleet Maintenance
Mauro Lenci
Superintendent
Administrative Supervisor
Janice D. Schroeder

Street Division
John H. Prijic
Superintendent
Waste Division C-4d
Rocky Bednar
Superintendent
Park Division
Jeff Warnock
Superintendent

DEPARTMENT OF PUBLIC WORKS

Ronald L. Bursek, P.E., Director

Municipal Building • 625 - 52nd Street • RM 305 • Kenosha, WI 53140
Telephone (262) 653-4050 • Fax (262) 653-4056

DATE: March 29, 2010

TO: Public Safety and Welfare Committee

FROM: Kevin Risch, P.E., Assistant City Engineer KKR 3-15-10

SUBJECT: Previous Trial for SB Yield Control for 11th Avenue and 62nd Street. (District 2)

This request has been on a trial as indicated with no complaints or problems reported.

Staff recommends approval for yield control on the above intersections.

The following ordinance change is required:

Amend Section 7.125 Streets Controlled by Yield Signs by adding:
Insert 11th Avenue under Column "A" and Insert 62nd Street under Column "B".

KKR:dt

cc: Alderman Don Moldenhauer - w/a
Ronald L. Bursek, Director of Public Works - w/a
Michael M. Lemens, Director of Engineering/City Engineer - w/a
Randy LeClaire - w/a
File - w/a



Looking East



Engineering Division
Michael M. Lemens, P.E.
Director/City Engineer
Fleet Maintenance
Mauro Lenci
Superintendent
Administrative Supervisor
Janice D. Schroeder

Street Division
John H. Prijic
Superintendent
Waste Division
Rocky Bednar
Superintendent
Park Division
Jeff Warnock
Superintendent

DEPARTMENT OF PUBLIC WORKS

Ronald L. Bursek, P.E., Director

Municipal Building • 625 - 52nd Street • RM 305 • Kenosha, WI 53140
Telephone (262) 653-4050 • Fax (262) 653-4056

DATE: November 30, 2009

TO: Public Safety and Welfare Committee

FROM: Kevin Risch, P.E., Deputy Director of Engineering KKR 11-23-09

SUBJECT: Aldermanic Request for Intersection Control 11th Avenue and 62nd Street. (District 2)

Alderman Don Moldenhauer is requesting intersection control for reference location.

11th Avenue is a one way southbound street and has reasonable visibility at the intersection of 62nd Street.

Staff has reviewed this request and recommends approval of a southbound Yield Control on 11th Avenue at 62nd Street on a 90 day trial.

KKR:dt

cc: Alderman Don Moldenhauer - w/a
Ronald L. Bursek, Director of Public Works – w/a
Michael M. Lemens, Director of Engineering/City Engineer – w/a
Randy LeClaire - w/a
File – w/a



Engineering Division
Michael M. Lemens, P.E.
Director/City Engineer
Fleet Maintenance
Mauro Lenci
Superintendent
Administrative Supervisor
Janice D. Schroeder

Street Division
John H. Prijic
Superintendent
Waste Division
Rocky Bednar
Superintendent
Park Division
Jeff Warnock
Superintendent

C-5a

DEPARTMENT OF PUBLIC WORKS

Ronald L. Bursek, P.E., Director

Municipal Building • 625 - 52nd Street • RM 305 • Kenosha, WI 53140
Telephone (262) 653-4050 • Fax (262) 653-4056

Date: March 29, 2010

To: Public Safety and Welfare Committee

From: Kevin Risch, P.E., Assistant City Engineer KKR 3-15-10

Subject: Previous Trial to Change 2 Hour Parking to No Parking Police Vehicles Only on the North Side of 55th Street 11th Avenue - 13th Avenue. (District 7)

This request to change 2 Hour Parking to No Parking Police Vehicles Only along the north side of 55th Street from 13th Avenue to 11th Avenue has been on trial with no complaints or problems reported.

Staff recommends approval. The following resolution is suggested:

Be it resolved by Kenosha Common Council that the North Side of 55th Street from 13th Avenue east approximately 175 feet towards 11th Avenue is hereby re-designated as No Parking Police Vehicles Only.

KKR: dt

cc Alderman Patrick Juliana – w/a
Police Chief Morrissey - w/a
Ronald Bursek, Director of Public Works - w/a
Michael Lemens, Director of Engineering - w/a
Randy LeClaire - w/a
File - w/a



No Parking,
Police Vehicles
Only

55th St

→ 11th Ave

13th Ave



Engineering Division
Michael M. Lemens, P.E.
Director/City Engineer
Fleet Maintenance
Mauro Lenci
Superintendent
Administrative Supervisor
Janice D. Schroeder

Street Division
John H. Prijic
Superintendent
Waste Division
Rocky Bednar
Superintendent
Parks Division
Jeff Warnock
Superintendent

DEPARTMENT OF PUBLIC WORKS

Ronald L. Bursek, P.E., Director

Municipal Building · 625 52nd ST · RM 305 · Kenosha, WI 53140
Telephone (262) 653-4050 · Fax (262) 653-4056

DATE: August 31, 2009
TO: Public Safety and Welfare Committee
FROM: Kevin Risch, P.E., Deputy Director of Engineering KKR 8-25-09
SUBJECT: KPD Request to Change Existing 2 Hour Parking/8AM – 6PM/Mon – Sat/Except
Holidays Restriction on North Side of 55th Street 1100 Block to No Parking/Police
Vehicles Only

The Kenosha Police department is requesting a change in existing parking restrictions along the north side of 55th Street from 93 feet West (west side parking lot entrance) of 11th Avenue to approximately 255 feet West of 11th Avenue to designate as No Parking/Police Vehicles Only.

The requested area borders the Metra Train Station parking lot to the North and is currently designated as 2 Hour Parking/8AM – 6PM/Mon – Sat/Except Holidays. See attached.

The area east of this request would still allow for 2-3 on street spaces as 2 Hour Parking/8AM – 6PM/Mon – Sat/Except Holidays, for the corner business. This request would provide approximately eight spaces for Police Vehicles Only. This request is due to proposed expansion of the Public Safety Building.

The south side of 55th Street in this area is designated No Parking due to the narrowness of the street and all businesses have their own parking lots.

The Police department is requesting the change in parking be permanent.

Staff suggests a trial to designate an approximate 193 foot section of the North side of 55th Street from 93 feet West of 11th Avenue to a point approximately 193 feet further west as No Parking/Police Vehicles Only during the construction expansion of the Public Safety Building.

Cc: Police Chief Morrissey – w/a
Alderman Juliana - w/a
Ronald L. Bursek, Director of Public Works - w/a
Michael M. Lemens, Director of Engineering/City Engineer - w/a
Randy LeClaire - w/a
File - w/a



Engineering Division
Michael M. Lemens, P.E.
Director/City Engineer
Fleet Maintenance
Mauro Lenci
Superintendent
Administrative Supervisor
Janice D. Schroeder

Street Division
John H. Prijic
Superintendent
Waste Division
Rocky Bednar
Superintendent
Park Division
Jeff Warnock
Superintendent

C-5b

DEPARTMENT OF PUBLIC WORKS

Ronald L. Bursek, P.E., Director

Municipal Building - 625 - 52nd Street - RM 305 - Kenosha, WI 53140
Telephone (262) 653-4050 - Fax (262) 653-4056

DATE: March 29, 2010

TO: Public Safety and Welfare Committee

FROM: Kevin Risch, P.E., Assistant City Engineer KKR 3-15-10

SUBJECT: Request to Remove No Parking On School Days / 1:30pm - 3:30pm, North Side of 73rd Street from 39th Avenue - 40th Avenue. (District 14)

Request from St Mary's Church has been made to remove the existing No Parking 1:30pm - 3:30pm On School Days restriction on the north side of 73rd Street between 39th Avenue and 40th Avenue. This area is no longer used for school bus operations per attached request.

Staff recommends approval to remove the restriction. The following resolution can be used.

Be it resolved by Kenosha Common Council that the existing No Parking 1:30pm - 3:30pm On School Days restriction on the north side of 73rd Street between 39th Avenue and 40th Avenue is hereby removed and rescinded.

KKR:dt

cc: Kelly Owens, St Mary's Church, 7307 40th Avenue
Alderman Daniel Prozanski, Jr - w/a
Ronald L. Bursek, Director of Public Works - w/a
Michael M. Lemens, Director of Engineering/City Engineer - w/a
Randy LaClaire - w/a
File - w/a

Zimbra

rleclaire@kenosha.org

± Font size -

removal request for signage on 73rd street between 39th and 40th Avenue.

From : Kelly Owens <owensk@stmarycatholic.org>

Tue, Mar 09, 2010 01:09 PM

Subject : removal request for signage on 73rd street between 39th and 40th Avenue.

To : rleclaire@kenosha.org

Randy:

Per our conversation earlier today, the purpose of this email is to request the removal of the two parking restriction signs on the North side of 73rd Street between 39th Avenue and 40th Avenue. They read, "No Parking 1:30 – 3:30 on school days". These were originally placed during the 39th Avenue / 75th Street construction project several years ago as a secondary bus stop for our grade school.

The No Parking, stopping or standing signs on the south side of this same stretch should remain in place. Additionally the "No parking here to corner" on the North side should also remain in place.

Please contact me with questions.

Kelly Owens
Director Administrative Services
St. Mary Catholic Church
7307-40th Avenue
262-694-6018 ext. 109

